

Contents

Part I

List of Figures	xxviii
List of Tables	xxxii
Foreword	xxxvii
Preface	xxxix
Chapter 1 Introduction	1
1.1 A brief history (of nearly half a century)	1
1.2 Today's systems.....	8
1.3 Working with this book	13
1.3.1 What's where	13
1.3.2 Typographic conventions	15
1.3.3 Using the examples.	18
Chapter 2 The Structure of a L^AT_EX Document	21
2.1 The overall structure of a source file.....	22
2.1.1 Spoiler alert — The \DocumentMetadata command	23
2.1.2 Processing of options of the document class and packages . .	24
2.1.3 Front, main, and back matter.	26
2.1.4 Splitting the source document into several files	28
2.1.5 askininclude — Managing your inclusions.	30
2.1.6 tagging — Providing variants in the document source.	30

2.2	Sectioning commands	32
2.2.1	Numbering headings	34
2.2.2	Changing fixed heading texts	36
2.2.3	Introduction to heading design	37
2.2.4	quotchap, epigraph — Mottos on chapters and sections	38
2.2.5	indentfirst — Indent the first paragraph after a heading	39
2.2.6	nonumonpart — No page numbers on parts	40
2.2.7	titlesec — A package approach to heading design	40
2.2.8	Formatting headings — \LaTeX 's internal low-level methods	51
2.3	Table of contents structures	54
2.3.1	tocdata — Providing extra data for the TOC	56
2.3.2	titletoc — A high-level approach to contents list design	59
2.3.3	multitoc — Setting contents lists in multiple columns	70
2.3.4	\LaTeX 's low-level interfaces	70
2.4	Managing references	75
2.4.1	varioref — More flexible cross-references	79
2.4.2	cleveref — Cleverly formatted references	86
2.4.3	nameref — Non-numerical references	93
2.4.4	showkeys, refcheck — Displaying & checking reference keys ..	93
2.4.5	xr — References to external documents	95
2.4.6	hyperref — Active references	96
2.5	Document source management	108
2.5.1	Combining several files	109
2.5.2	Document archival information	110
2.5.3	snapshot, bundledoc — Document archival and verification ..	111
2.5.4	mkjobtexmf — Providing a minimal \TeX file tree	113
2.5.5	The rollback concept for \LaTeX and individual packages	114
Chapter 3	Basic Formatting Tools — Paragraph Level	119
3.1	Shaping your paragraphs	120
3.1.1	ragged2e — Improving unjustified text	123
3.1.2	nolbreaks — Preventing line breaks in text fragments	125
3.1.3	microtype — Enhancing justified text	126
3.1.4	parskip — Adjusting the look and feel of paragraphs	137
3.1.5	setspace — Changing interline spacing	139
3.1.6	lettrine — Dropping your capital	141
3.1.7	Alphabets for initials	145
3.1.8	magaz — Special handling of the first line	146
3.1.9	fancypar — Fancy layouts for individual paragraphs	147
3.2	Dealing with special characters	147
3.2.1	ellipsis, lips — Marks of omission	148
3.2.2	extdash and amsmath — Dashes in text	149
3.2.3	underscore — Making that character more usable	151
3.2.4	xspace — Gentle spacing after a macro	152

3.3	Generated or specially formatted text	154
3.3.1	<code>fmtcount</code> —Ordinals and cardinals	154
3.3.2	<code>acro</code> —Managing your abbreviations and acronyms.	156
3.3.3	<code>xfrac</code> —Customizable <code>text/fractions</code>	164
3.3.4	<code>siunitx</code> —Scientific notation of units and quantities	167
3.4	Various ways of highlighting and quoting text.	177
3.4.1	<code>Change case of text intelligently</code> (formerly <code>textcase</code>)	178
3.4.2	<code>csquotes</code> —Context-sensitive quotation marks	179
3.4.3	<code>embrac</code> —Upright brackets and parentheses	188
3.4.4	<code>ulem</code> —Emphasize and copy-edit via underline	189
3.4.5	<code>dashundergaps</code> —Produce fill-in forms	190
3.4.6	<code>microtype & soul</code> —Letterspacing or stealing sheep	191
3.4.7	<code>url</code> —Typesetting URLs, path names, and the like.	198
3.4.8	<code>uri</code> —Typesetting various types of URIs.	202
3.5	Footnotes, endnotes, and marginals.	204
3.5.1	<code>Using standard footnotes</code>	205
3.5.2	<code>Customizing standard footnotes</code>	208
3.5.3	<code>footmisc</code> —Various footnotes styles	210
3.5.4	<code>footnoterange</code> —Referencing footnote ranges	216
3.5.5	<code>fnpct</code> —Managing footnote markers and punctuation.	216
3.5.6	<code>perpage</code> —Resetting counters on a “per-page” basis	218
3.5.7	<code>manyfoot</code> , <code>bigfoot</code> —Independent footnotes	220
3.5.8	<code>parnotes</code> —Present the notes inside the galley	226
3.5.9	<code>ftnright</code> —Right footnotes in a two-column environment	228
3.5.10	<code>enotez</code> —Endnotes, an alternative to footnotes.	228
3.5.11	<code>Marginal notes</code>	232
3.5.12	<code>marginnote</code> —An alternative to <code>\marginpar</code>	234
3.5.13	<code>snotez</code> —Numbered or otherwise marked side notes	235
3.6	Support for document development	237
3.6.1	<code>todonotes</code> —Adding todos to your document.	237
3.6.2	<code>fixme</code> —A slightly different approach to todos	242
3.6.3	<code>changes</code> —A set of typical editorial commands	245
3.6.4	<code>pdfcomment</code> —Using PDF annotations and tool tips	250
3.6.5	<code>vertbars</code> —Adding bars to paragraphs	251
Chapter 4	Basic Formatting Tools — Larger Structures	253
4.1	Lists	254
4.1.1	<code>Using and modifying the standard lists</code>	254
4.1.2	<code>LATEX's generic list environments</code>	258
4.1.3	<code>enumitem</code> —Extended list environments	261
4.1.4	<code>amsthm</code> —Providing headed lists	281
4.1.5	<code>thmtools</code> —Advanced theorem declarations	284
4.1.6	<code>tasks</code> —Making horizontally oriented lists	289
4.1.7	<code>typed-checklist</code> —Developing and maintaining checklists.	292

4.2	Simulating typed text	296
4.2.1	Displaying spaces in verbatim material	297
4.2.2	Simple verbatim extensions	298
4.2.3	<i>upquote</i> —Computer program style quoting	302
4.2.4	<i>fancyvrb</i> , <i>fverextra</i> —Verbatim environments on steroids	303
4.2.5	<i>listings</i> —Pretty-printing program code	322
4.3	Lines and columns	333
4.3.1	<i>lineno</i> —Numbering lines of text	334
4.3.2	<i>paracol</i> —Several text streams aligned	339
4.3.3	<i>multicol</i> —A flexible way to handle multiple columns	351
4.3.4	<i>multicolrule</i> —Custom rules for multicolumned pages	361
4.4	Generating sample texts	361
4.4.1	<i>lipsum</i> and friends—Generating text samples	361
4.4.2	<i>blindtext</i> —More elaborate layout testing	363
Chapter 5 The Layout of the Page		365
5.1	Geometrical dimensions of the layout	366
5.2	Changing the layout	368
5.2.1	<i>layouts</i> —Displaying your layout	371
5.2.2	A collection of page layout packages	374
5.2.3	<i>typearea</i> —A traditional approach	375
5.2.4	<i>geometry</i> —Layout specification with auto-completion	377
5.2.5	<i>lscape</i> —Typesetting individual pages in landscape mode	384
5.2.6	<i>savetrees</i> —Options to reduce the document length	384
5.3	Dynamic page data: page numbers and marks	385
5.3.1	<i>LATEX</i> page numbers	385
5.3.2	<i>lastpage</i> —A way to reference it	386
5.3.3	<i>chappg</i> —Page numbers by chapters	387
5.3.4	<i>LATEX</i> 's legacy mark commands	388
5.3.5	<i>LATEX</i> 's new mark mechanism	390
5.4	Page styles	395
5.4.1	The low-level page style interface	397
5.4.2	<i>fancyhdr</i> —Customizing page styles	398
5.4.3	<i>truncate</i> —Truncate text to a given length	405
5.4.4	<i>continue</i> —Help with turning pages	407
5.5	Page decorations and watermarks	409
5.5.1	<i>draftwatermark</i> —Put a visible stamp on your document	409
5.5.2	<i>crop</i> —Producing trimming marks	411
5.6	Visual formatting	414
5.6.1	Standard tools for page explicit page breaking	414
5.6.2	Running pages and columns short or long	415
5.6.3	<i>addlines</i> —Adjusting whole double spreads	416
5.6.4	<i>nextpage</i> —Extensions to <code>\clearpage</code>	418

5.6.5	<code>needspace</code> —Conditionally start a new page	419
5.6.6	Avoiding widows and orphans	420
5.6.7	<code>widows-and-orphans</code> —Finding all widows and orphans	424
5.6.8	<code>\looseness</code> —Shortening or lengthening paragraphs	427
5.7	Doing layout with class	429
5.7.1	<code>KOMA-Script</code> —A drop-in replacement for <code>article</code> et al.	429
5.7.2	<code>memoir</code> —Producing complex publications	430
Chapter 6 Tabular Material		431
6.1	Standard L ^A T _E X environments	432
6.1.1	Using the tabbing environment	433
6.1.2	<code>tabto</code> —An alternative way to tab stops	434
6.1.3	Using the tabular environment	436
6.2	<code>array</code> —Extending the tabular environments	437
6.2.1	The behavior of the <code>\backslash</code> command	437
6.2.2	Examples of preamble specifiers	438
6.2.3	Defining new column specifiers	445
6.3	Calculating column widths	446
6.3.1	<code>tabularx</code> —Automatic calculation of column widths	448
6.3.2	<code>tabulary</code> —Column widths based on content	450
6.3.3	Differences between <code>tabular*</code> , <code>tabularx</code> , and <code>tabulary</code>	452
6.3.4	Managing tables with wide entries	453
6.3.5	<code>widetable</code> —An alternative to <code>tabular*</code>	453
6.4	Multipage tabular material	456
6.4.1	<code>supertabular</code> —Making multipage tabulars	456
6.4.2	<code>longtable</code> —Alternative multipage tabulars	459
6.4.3	<code>xltabular</code> —Marriage of <code>tabularx</code> and <code>longtable</code>	463
6.4.4	Problems with multipage tables (all packages)	464
6.5	Color in tables	466
6.6	Customizing table rules and spacing	467
6.6.1	Colored table rules	467
6.6.2	<code>boldline</code> —Bolder table rules	468
6.6.3	<code>arydshln</code> —Dashed rules	469
6.6.4	<code>hhline</code> —Combining horizontal and vertical lines	470
6.6.5	<code>booktabs</code> —Formal ruled tables	471
6.6.6	<code>bigstrut</code> —Spreading individual table lines apart	473
6.6.7	<code>cellspace</code> —Ensure minimal clearance automatically	474
6.7	Other extensions	476
6.7.1	<code>multirow</code> —Vertical alignment in tables	476
6.7.2	<code>diagbox</code> —Making table cells with diagonal lines	479
6.7.3	<code>dcolumn</code> —Decimal column alignments	481
6.7.4	<code>siunitx</code> —Scientific numbers in tables	484
6.7.5	<code>fcolumn</code> —Managing financial tables	487

6.8	Footnotes in tabular material	491
6.8.1	Using <code>minipage</code> footnotes with tables	491
6.8.2	<code>threeparttable</code> —Setting table and notes together	492
6.9	<code>keyvaltable</code> —Separating table data and formatting	494
6.10	<code>tabulararray</code> —Late breaking news	504
Chapter 7 Mastering Floats		505
7.1	An overview of \LaTeX 's float concepts	506
7.1.1	\LaTeX float terminology	506
7.1.2	Basic behavioral rules of \LaTeX 's float mechanism	508
7.1.3	Consequences of the algorithm	512
7.1.4	<code>fltrace</code> —Tracing the float algorithm	518
7.2	Float placement control	519
7.2.1	<code>fewerfloatpages</code> —Improving \LaTeX 's float algorithm	519
7.2.2	<code>placeins</code> —Preventing floats from crossing a barrier	524
7.2.3	<code>afterpage</code> —Taking control at the page boundary	525
7.2.4	<code>endfloat</code> —Placing figures and tables at the end	525
7.3	Extensions to \LaTeX 's float concept	528
7.3.1	<code>float</code> —Creating new float types	529
7.3.2	Captions for nonfloating figures and tables	532
7.3.3	<code>rotating</code> , <code>rotfloat</code> —Rotating floats	533
7.3.4	<code>wrapfig</code> —Inline floats, wrapping text around a figure	535
7.4	Controlling the float caption	538
7.4.1	<code>caption</code> —Customizing your captions	540
7.4.2	<code>subcaption</code> —Substructuring floats	551
7.5	Key/value approaches for floats and subfloats	560
7.5.1	<code>hvfloat</code> —Sophisticated caption placement control and more	560
7.5.2	<code>keyfloat</code> —Bringing most packages under one roof	567
Chapter 8 Graphics Generation and Manipulation		575
8.1	\LaTeX 's image loading support	576
8.1.1	Options for <code>graphics</code> and <code>graphicx</code>	577
8.1.2	The <code>\includegraphics</code> syntax in the <code>graphics</code> package	578
8.1.3	The <code>\includegraphics</code> syntax in the <code>graphicx</code> package	580
8.1.4	Setting default key values for the <code>graphicx</code> package	585
8.1.5	Declarations guiding the inclusion of images	586
8.2	Manipulating graphical objects in \LaTeX	587
8.2.1	Image and box manipulations with <code>graphics</code> and <code>graphicx</code>	587
8.2.2	<code>overpic</code> —Graphic annotation made easy	593
8.2.3	<code>adjustbox</code> —Box manipulation with a key/value interface	595
8.3	Producing (fairly) portable line graphics	602
8.3.1	A kernel <code>picture</code> environment enhancement	602
8.3.2	<code>pict2e</code> —An extension of \LaTeX 's <code>picture</code> environment	602

8.3.3	bxepic—A differently enhanced picture environment	608
8.3.4	Special-purpose languages	612
8.3.5	qrcode—Generating Quick Response codes	612
8.4	Flexible boxes for multiple purposes	614
8.4.1	tcolorbox—The basic usage	614
8.4.2	Extending tcolorbox through libraries	619
8.4.3	Defining new tcolorbox environments and commands	626
8.4.4	Special tcolorbox applications	628
8.5	tikz—A general-purpose graphics system	631
8.5.1	Basic objects	633
8.5.2	Transformations and other operations	642
8.5.3	Going further	646

Chapter 9	Font Selection and Encodings	647
9.1	Introduction	648
9.1.1	The history of L ^A T _E X's font selection scheme (NFSS)	648
9.1.2	Input and output handling in T _E X systems over the years	649
9.2	Understanding font characteristics	652
9.2.1	Monospaced and proportional fonts	652
9.2.2	Serifed and sans serif fonts	653
9.2.3	Font families and their attributes	653
9.2.4	Font encodings	657
9.3	Using fonts in text	658
9.3.1	Standard L ^A T _E X font commands	659
9.3.2	Font commands versus declarations	666
9.3.3	Combining standard font commands	668
9.3.4	Accessing all characters of a font	669
9.3.5	L ^A T _E X 2.09 font support—Compatibility for really ancient documents	670
9.3.6	Changing the default text fonts	670
9.3.7	relsize, scalefnt—Relative changes to the font size	675
9.4	Using fonts in math	676
9.4.1	Special math alphabet identifiers	677
9.4.2	Text font commands in math	682
9.4.3	Mathematical formula versions	682
9.5	Standard L ^A T _E X font support	683
9.5.1	Computer Modern, Latin Modern—The L ^A T _E X standard fonts	684
9.5.2	PSNFSS and T _E X Gyre—Core PostScript fonts for L ^A T _E X	688
9.5.3	A note on baselines and leading	691
9.5.4	inputenc—Explicitly selecting the input encoding	692
9.5.5	fontenc—Selecting font encodings	693
9.5.6	Additional text symbols not part of OT1 or T1 encodings	694
9.5.7	exscale—Scaling large Computer Modern math operators	704

9.5.8	tracefont — Tracing the font selection	704
9.5.9	nfssfont.tex — Displaying 8-bit font tables and samples	705
9.6	fontspec — Font selection for Unicode engines	705
9.6.1	Setting up the main document font families	706
9.6.2	Setting up additional font families	711
9.6.3	Setting up a single font face	711
9.6.4	Interfacing with core NFSS commands	712
9.6.5	Altering the look and feel of fonts	713
9.6.6	General configuration options	727
9.6.7	unicodefonttable — Displaying font tables for larger fonts	728
9.7	The low-level NFSS interface	730
9.7.1	Setting individual font attributes	731
9.7.2	Setting several font attributes	738
9.7.3	Automatic substitution of fonts.	738
9.7.4	Substituting the font family if unavailable in an encoding	739
9.7.5	Using low-level commands in the document	740
9.8	Setting up new fonts for NFSS	740
9.8.1	Declaring new font families and font shape groups.	741
9.8.2	Modifying font families and font shape groups	746
9.8.3	Declaring new font encoding schemes	747
9.8.4	Internal file organization	748
9.8.5	Declaring new fonts and symbols for use in math	749
9.9	L ^A T _E X's encoding models	754
9.9.1	Character data within the L ^A T _E X system	754
9.9.2	L ^A T _E X's internal character representation (LICR)	757
9.9.3	Input encodings	758
9.9.4	Output encodings	760

Part II

Foreword, Part II	II v
-------------------	------

Preface, Part II	II vii
------------------	--------

Chapter 10 Text and Symbol Fonts	II 1
10.1 Overview.....	II 2
10.1.1 Notes on the font samples	II 4
10.1.2 Notes on the font family tables	II 5
10.1.3 Font support packages	II 7
10.1.4 Direct use of the fonts (without a package)	II 10
10.2 Samples of larger font families.....	II 11
10.2.1 Alegreya	II 11
10.2.2 CM Bright—A design based on Computer Modern Sans	II 12

10.2.3	DejaVu — A fork of Bitstream Vera	II 12
10.2.4	Fira fonts	II 14
10.2.5	Gandhi fonts	II 15
10.2.6	Go fonts.	II 15
10.2.7	Inria fonts.	II 16
10.2.8	Kp (Johannes Kepler) fonts	II 17
10.2.9	Libertinus — A fork of Linux Libertine and Biolinum.	II 19
10.2.10	Lucida fonts.	II 21
10.2.11	Merriweather fonts	II 25
10.2.12	Google’s Noto and Droid fonts	II 26
10.2.13	IBM Plex.	II 30
10.2.14	PT fonts.	II 31
10.2.15	Quattrocento	II 33
10.2.16	Google Roboto families	II 34
10.2.17	Adobe Source Pro	II 35
10.3	Humanist (Oldstyle) serif fonts.....	II 36
10.3.1	Alegreya	II 37
10.3.2	Coelacanth	II 37
10.3.3	fbb — A version of Cardo	II 37
10.4	Garalde (Oldstyle) serif fonts.....	II 38
10.4.1	Accanthis	II 39
10.4.2	GFS Artemisia	II 39
10.4.3	Crimson, Crimson Pro, and Cochineal.	II 40
10.4.4	Cormorant Garamond.	II 41
10.4.5	EB Garamond	II 41
10.4.6	Garamond Libre.	II 42
10.4.7	URW Garamond No. 8	II 43
10.4.8	Gentium Plus	II 45
10.4.9	Kp (Johannes Kepler) Roman	II 45
10.4.10	Palatino (T _E X Gyre Pagella)	II 46
10.5	Transitional/Neoclassical serif fonts	II 46
10.5.1	Antykwa Poltawskiego	II 46
10.5.2	BaskervilleF and Libre Baskerville	II 47
10.5.3	Baskervald (Baskervaldx)	II 48
10.5.4	ITC Bookman (T _E X Gyre Bonum).	II 48
10.5.5	Cambria.	II 49
10.5.6	Bitstream Charter	II 50
10.5.7	Charis SIL—A design based on Bitstream Charter.	II 51
10.5.8	Caslon—Reinterpreted as Libre Caslon	II 51
10.5.9	Gandhi Serif.	II 52
10.5.10	Inria Serif	II 52
10.5.11	Libertinus Serif	II 52
10.5.12	Literaturnaya—A favorite in the days of the USSR.	II 53
10.5.13	Lucida Bright	II 53

10.5.14	Lucida Fax	II 54
10.5.15	Merriweather	II 54
10.5.16	New Century Schoolbook (T _E X Gyre Schola)	II 54
10.5.17	Plex Serif	II 55
10.5.18	PT Serif	II 55
10.5.19	Quattrocento	II 55
10.5.20	Times Roman (T _E X Gyre Termes and Tempora)	II 55
10.5.21	Tinos	II 57
10.5.22	STIX 2	II 57
10.5.23	Utopia (Heuristica, Erehwon, and Linguistics Pro)	II 58
10.6	Didone (Modern) serif fonts.....	II 60
10.6.1	Computer Modern Roman / Latin Modern Roman	II 60
10.6.2	GFS Bodoni	II 61
10.6.3	Libre Bodoni	II 61
10.6.4	GFS Didot	II 62
10.6.5	Theano Didot	II 62
10.6.6	Noto Serif	II 63
10.6.7	Old Standard	II 63
10.6.8	Playfair Display	II 64
10.7	Slab serif (Egyptian) fonts.....	II 64
10.7.1	Bitter	II 65
10.7.2	Concrete Roman	II 65
10.7.3	DejaVu Serif.	II 67
10.7.4	Roboto Slab Serif	II 67
10.7.5	Source Serif Pro	II 67
10.8	Sans serif fonts	II 67
10.8.1	Alegreya Sans	II 68
10.8.2	Arimo	II 68
10.8.3	ITC Avant Garde Gothic (T _E X Gyre Adventor)	II 69
10.8.4	Cabin	II 70
10.8.5	Chivo	II 70
10.8.6	Classico—A design based on Optima	II 71
10.8.7	Clear Sans.	II 72
10.8.8	CM Bright	II 72
10.8.9	Cuprum.	II 73
10.8.10	Cyklop	II 73
10.8.11	DejaVu Sans.	II 74
10.8.12	Fira Sans	II 74
10.8.13	Gandhi Sans.	II 74
10.8.14	GFS Neo-Hellenic	II 75
10.8.15	Gillius	II 75
10.8.16	Helvetica (T _E X Gyre Heros).	II 76
10.8.17	Inria Sans	II 77
10.8.18	Iwona	II 77

10.8.19	Kp (Johannes Kepler) Sans	II 79
10.8.20	Kurier	II 79
10.8.21	Latin Modern Sans	II 80
10.8.22	Lato	II 80
10.8.23	Libertinus Sans	II 81
10.8.24	Libre Franklin	II 81
10.8.25	Lucida Sans	II 82
10.8.26	Merriweather Sans	II 82
10.8.27	Mint Spirit.	II 82
10.8.28	Montserrat	II 83
10.8.29	Noto Sans	II 84
10.8.30	Overlock	II 84
10.8.31	Plex Sans	II 85
10.8.32	PT Sans	II 85
10.8.33	Quattrocento Sans	II 85
10.8.34	Raleway	II 86
10.8.35	Roboto Sans.	II 86
10.8.36	Rosario	II 86
10.8.37	Source Sans Pro	II 87
10.8.38	Universalis	II 87
10.9	Monospaced (typewriter) fonts.....	II 88
10.9.1	Algol	II 89
10.9.2	Anonymous Pro	II 90
10.9.3	CM Bright Typewriter Light	II 90
10.9.4	Courier	II 91
10.9.5	DejaVu Sans Mono	II 91
10.9.6	Fira Mono	II 92
10.9.7	Go Mono	II 92
10.9.8	Inconsolata	II 92
10.9.9	Kp (Johannes Kepler) Typewriter	II 93
10.9.10	Latin Modern Typewriter	II 93
10.9.11	Libertinus Mono.	II 94
10.9.12	Lucida's monospaced families	II 94
10.9.13	Luximono.	II 95
10.9.14	Noto Sans Mono.	II 96
10.9.15	Plex Mono.	II 96
10.9.16	PT Mono	II 96
10.9.17	Roboto Mono	II 97
10.9.18	Source Code Pro	II 97
10.10	Historical and other fonts.....	II 97
10.10.1	Cinzel.	II 98
10.10.2	Marcellus	II 99
10.10.3	The Fell Types.	II 99
10.10.4	Almendra	II 100

10.10.5	Antykwa Toruńska	II 100
10.10.6	Lucida Casual, Calligraphy, and Handwriting	II 102
10.10.7	Zapf Chancery (T _E X Gyre Chorus)	II 102
10.10.8	Miamia Nueva	II 103
10.10.9	Lucida Blackletter	II 104
10.10.10	Blackletter—Yannis Gothic, Schwabacher, and Fraktur.	II 104
10.11	Fonts supporting Latin and polytonic Greek	II 106
10.11.1	Serif designs	II 107
10.11.2	Sans Serif designs.	II 109
10.11.3	Monospaced fonts	II 109
10.11.4	Handwriting fonts.	II 110
10.12	Fonts supporting Latin and Cyrillic.	II 110
10.12.1	Serif designs	II 110
10.12.2	Sans Serif designs.	II 111
10.12.3	Monospaced fonts	II 112
10.12.4	Handwriting fonts.	II 113
10.13	The L _A T _E X world of symbols.	II 113
10.13.1	pifont—Accessing Pi and Symbol fonts	II 113
10.13.2	wasysym—Waldi's symbol font	II 116
10.13.3	marvosym—Interface to the MarVoSym font	II 117
10.13.4	adforn—Adding ornaments to your document	II 118
10.13.5	fourier-orns—GUTenberg-Fourier's ornaments	II 119
10.13.6	Web-O-Mints—Another collection of ornaments and borders	II 119
10.13.7	fontawesome5—Accessing Font Awesome icons	II 120
10.13.8	tipa—International Phonetic Alphabet symbols	II 125
Chapter 11	Higher Mathematics	II 127
11.1	Introduction to amsmath and mathtools	II 128
11.2	Display and alignment structures for equations.	II 131
11.2.1	Comparison of amsmath/mathtools with standard L _A T _E X.	II 132
11.2.2	A single equation on one line	II 133
11.2.3	A single equation on several lines: no alignment	II 134
11.2.4	A single equation on several lines: with alignment	II 135
11.2.5	Equation groups without alignment.	II 137
11.2.6	Equation groups with simple alignment.	II 138
11.2.7	Multiple alignments: align and flalign	II 138
11.2.8	Display environments as mini-pages	II 140
11.2.9	Interrupting displays with short text	II 143
11.2.10	Vertical space in and around displays	II 143
11.2.11	Page breaks in and around displays.	II 145
11.2.12	breqn—Automatic line breaking in math displays	II 146
11.2.13	Equation numbering and tags.	II 149
11.2.14	Fine-tuning tag placement	II 150
11.2.15	Subordinate numbering sequences	II 152
11.2.16	Resetting the equation counter	II 153

11.3	Matrix-like environments	II 153
11.3.1	amsmath, mathtools — The matrix environments	II 154
11.3.2	amsmath, mathtools, cases — Some case environments	II 156
11.3.3	delarray — Delimiters surrounding an array	II 157
11.3.4	bigdelim — Delimiters around and inside arrays	II 158
11.3.5	Commutative diagrams with standard L ^A T _E X	II 159
11.3.6	amscd — Commutative diagrams à la AMS	II 160
11.3.7	tikz-cd — Commutative diagrams based on tikz	II 161
11.4	Compound structures and decorations	II 163
11.4.1	amsmath, mathtools, extarrows — Decorated arrows	II 163
11.4.2	Fractions and their generalizations	II 164
11.4.3	Continued fractions	II 166
11.4.4	Limiting positions	II 166
11.4.5	Stacking in subscripts and superscripts	II 167
11.4.6	amsmath, esint, wasysym — Multiple integral signs	II 168
11.4.7	diffcoeff — Handling derivatives of arbitrary order	II 170
11.4.8	Modular relations	II 171
11.4.9	mathtools, interval — Properly spaced intervals	II 171
11.4.10	braket — Dirac bra-ket and set notation	II 173
11.4.11	amsmath, mathtools, empheq — Boxed formulas	II 174
11.4.12	amsmath, accents, mathdots — Various accents	II 176
11.4.13	mattens — Commands to typeset tensors	II 178
11.4.14	Extra decorations for symbols	II 179
11.5	Variable symbol commands	II 180
11.5.1	Ellipsis and other kinds of	II 180
11.5.2	Horizontal extensions in standard L ^A T _E X	II 182
11.5.3	Further horizontal extensions	II 183
11.5.4	abracess — Customizable over and under braces	II 185
11.5.5	underoverlap — Partly overlapping horizontal braces	II 189
11.5.6	Vertical extensions	II 191
11.6	Words in mathematics	II 191
11.6.1	The \text command	II 192
11.6.2	Operator and function names	II 192
11.7	Fine-tuning the mathematical layout	II 194
11.7.1	Controlling the automatic sizing and spacing	II 195
11.7.2	Subformulas	II 197
11.7.3	Line breaking in inline formulas	II 197
11.7.4	Big-g delimiters	II 199
11.7.5	Radical movements	II 199
11.7.6	Ghostbusters™	II 200
11.7.7	Horizontal spaces	II 204
11.7.8	resizegather — Downscaling an equation	II 206
11.7.9	subdepth — Normalizing subscript positions	II 206
11.7.10	Color in formulas	II 207

11.8 Symbols in formulas	II 208
11.8.1 Mathematical symbol classes	II 209
11.8.2 Letters, numerals, and other Ordinary symbols	II 211
11.8.3 Mathematical accents	II 214
11.8.4 Binary operator symbols	II 214
11.8.5 Relation symbols	II 216
11.8.6 Operator symbols	II 222
11.8.7 Punctuation	II 222
11.8.8 Opening and Closing symbols	II 223
Chapter 12 Fonts in formulas	II 225
12.1 The world of (Latin) math alphabets	II 226
12.1.1 <i>mathalpha</i> —Simplified setup for math alphabets	II 230
12.2 Making it bold	II 235
12.2.1 <i>bm</i> —Making bold	II 235
12.3 Traditional math font setup through packages.....	II 238
12.3.1 <i>ccfonts</i> —The Concrete fonts for text and math.....	II 238
12.3.2 <i>cmbright</i> —The Computer Modern Bright fonts	II 239
12.3.3 <i>euler</i> , <i>eulervm</i> —Accessing Zapf's Euler fonts.....	II 240
12.3.4 <i>newtxmath</i> —A Swiss knife for math font support	II 243
12.3.5 <i>newpxmath</i> —Using the PX fonts for math	II 248
12.3.6 <i>mathpazo</i> —Another Palatino-based approach for math	II 251
12.3.7 <i>notomath</i> —Setting up Noto fonts for math and text	II 252
12.4 <i>unicode-math</i> —Using Unicode math fonts	II 253
12.4.1 Math alphabets revisited	II 254
12.4.2 Adjusting the formula style	II 257
12.4.3 Setting up Unicode math fonts	II 259
12.5 A visual comparison of different math setups.....	II 261
12.5.1 <i>Garalde</i> (Oldstyle) serif fonts with math support	II 263
12.5.2 Transitional serif fonts with math support	II 271
12.5.3 Didone serif fonts with math support	II 284
12.5.4 Slab serif fonts with math support	II 288
12.5.5 Sans serif fonts with math support	II 290
12.5.6 Historical fonts with math support	II 295
Chapter 13 Localizing documents	II 297
13.1 <i>T_EX</i> and non-English languages	II 297
13.1.1 Language-related aspects of typesetting	II 299
13.1.2 Culture-related aspects of typesetting	II 300
13.1.3 <i>babel</i> — <i>L^AT_EX</i> speaks multiple languages	II 300
13.2 The <i>babel</i> user interface	II 301
13.2.1 Setting or getting the current language	II 302
13.2.2 Handling shorthands	II 304
13.2.3 Language attributes	II 307

13.2.4	BCP 47 tags	II 308
13.3	User commands provided by language options	II 308
13.3.1	Translations of fixed texts	II 309
13.3.2	Available shorthands	II 310
13.3.3	Language-specific commands	II 315
13.3.4	Layout considerations	II 320
13.3.5	Languages and font encoding	II 322
13.4	Support for Cyrillic and Greek	II 324
13.4.1	The Cyrillic alphabet	II 324
13.4.2	The Greek alphabet	II 328
13.5	Complex scripts	II 330
13.6	Tailoring babel	II 332
13.6.1	User level	II 333
13.6.2	Package level	II 336
13.6.3	The package file	II 339
13.7	Other approaches	II 341
13.7.1	Complex languages with 8-bit engines	II 341
13.7.2	Polyglossia	II 342

Chapter 14 Index Generation II 343

14.1	Syntax of the index entries	II 345
14.1.1	Simple index entries	II 346
14.1.2	Generating subentries	II 347
14.1.3	Page ranges and cross-references	II 347
14.1.4	Controlling the presentation form	II 347
14.1.5	Printing special characters	II 348
14.1.6	Creating a glossary	II 349
14.1.7	Defining your own index commands	II 349
14.1.8	Special considerations	II 350
14.2	<i>MakeIndex</i> —A program to sort and format indexes	II 350
14.2.1	Generating the formatted index	II 351
14.2.2	Detailed options of the <i>MakeIndex</i> program	II 351
14.2.3	Error and warning messages	II 355
14.2.4	Customizing the index	II 356
14.2.5	Pitfalls to watch out for	II 362
14.3	<i>upmendex</i> —A Unicode-aware indexing program	II 364
14.3.1	Options, warnings, and errors of the program	II 364
14.3.2	Customizing the index with <i>upmendex</i>	II 366
14.4	<i>xindy</i> , <i>xindex</i> —Two other indexing programs	II 370
14.5	Enhancing the index with L ^A T _E X features	II 371
14.5.1	Modifying the layout	II 371
14.5.2	<i>showidx</i> , <i>repeatindex</i> , <i>tocbibind</i> , <i>indxcite</i> —Little helpers	II 372
14.5.3	<i>index</i> —Producing multiple indexes	II 372

Chapter 15 Bibliography Generation	II 375
15.1 The standard L ^A T _E X bibliography environment	II 376
15.2 The biber and B _I B _T E _X programs	II 378
15.2.1 bibtex8—An 8-bit reimplementation of B _I B _T E _X	II 379
15.2.2 biber—A Unicode-aware bibliography processor	II 379
15.3 The B _I B _T E _X database format	II 380
15.3.1 Entry types and fields	II 384
15.3.2 Additional fields	II 390
15.3.3 The text part of a field explained	II 393
15.3.4 Abbreviations in B _I B _T E _X	II 401
15.3.5 Extended data references with biber: the xdata entry type .	II 403
15.3.6 The B _I B _T E _X database preamble command	II 405
15.3.7 Cross-referencing entries	II 406
15.3.8 Managing the B _I B _T E _X and biber differences	II 408
15.4 Using B _I B _T E _X or biber to produce the bibliography	II 409
15.5 On-line bibliographies	II 413
15.6 Bibliography database management tools	II 414
15.6.1 checkcites—Which citations are used, unused, or missing? .	II 414
15.6.2 biblist—Printing B _I B _T E _X database files	II 415
15.6.3 bibclean, etc.—A set of command-line tools	II 415
15.6.4 Using biber as a tool	II 417
15.7 Formatting the bibliography with styles	II 418
15.7.1 A collection of B _I B _T E _X style files	II 419
15.7.2 custom-bib—Generate B _I B _T E _X styles with ease .	II 426
15.7.3 An overview of biblatex styles	II 432
15.7.4 Generic styles	II 435
15.7.5 Implementations of style guides	II 439
15.7.6 Implementations of university and institution styles .	II 445
15.7.7 Implementations of journal styles	II 455
15.7.8 Styles that extend the data model	II 461
15.7.9 Styles not fitting in the other categories	II 464
Chapter 16 Managing Citations	II 469
16.1 Introduction	II 469
16.1.1 Bibliographical reference schemes	II 470
16.2 The number-only system	II 473
16.2.1 Standard L ^A T _E X—Reference by number	II 475
16.2.2 cite—Enhanced references by number	II 478
16.2.3 notoccite—Solving a problem with unsorted citations .	II 483
16.2.4 natbib's approach to number-only references	II 484
16.2.5 biblatex's approach to number-only references	II 484
16.3 The author-date system	II 487
16.3.1 Early attempts	II 489
16.3.2 natbib—Customizable author-date references	II 490

16.3.3	biblatex's approach to author-date references	II 500
16.4	The author-number system	II 502
16.4.1	natbib—Revisited.	II 503
16.4.2	biblatex's approach to author-number references.	II 506
16.5	The author-title system	II 507
16.5.1	jurabib—Customizable short-title references	II 507
16.5.2	biblatex's approach to author-title references.	II 534
16.6	The verbose system.	II 537
16.6.1	bibentry—Full bibliographic entries in running text	II 537
16.6.2	biblatex's approach to verbose citations	II 538
16.7	biblatex—One ring to rule them all	II 541
16.7.1	Basic biblatex setup.	II 543
16.7.2	Package options.	II 543
16.7.3	Citing with biblatex	II 544
16.7.4	Indexing citations automatically	II 546
16.7.5	Back references and links	II 547
16.7.6	Bibliography entries with multiple authors	II 547
16.7.7	Unambiguous citations	II 548
16.7.8	Printing the bibliography	II 550
16.7.9	The sorting of the bibliography	II 554
16.7.10	Document divisions	II 556
16.7.11	Annotated bibliographies	II 557
16.7.12	Bibliography lists	II 558
16.7.13	Language support.	II 559
16.7.14	Distinguishing the author's gender	II 560
16.7.15	Sentence casing.	II 561
16.7.16	Customizing	II 562
16.8	Multiple bibliographies in one document	II 569
16.8.1	chapterbib—Bibliographies per included file	II 571
16.8.2	bibunits—Bibliographies for arbitrary units.	II 574
16.8.3	bibtopic—Combining references by topic	II 578
16.8.4	multibib—Separate global bibliographies.	II 580
Chapter 17	\LaTeX{} Package Documentation Tools	II 583
17.1	doc—Documenting \LaTeX{} and other code	II 584
17.1.1	General conventions for the source file	II 585
17.1.2	Describing new macros and environments	II 585
17.1.3	Cross-referencing all macros used	II 588
17.1.4	The documentation driver.	II 589
17.1.5	Conditional code in the source	II 590
17.1.6	Providing additional documentation elements	II 592
17.1.7	Producing the actual index entries	II 593
17.1.8	Overview about all doc commands	II 594
17.1.9	ltxdoc—A simple \LaTeX{} documentation class	II 597

17.2	docstrip.tex — Producing ready-to-run code.....	II 599
17.2.1	Invocation of the docstrip utility	II 600
17.2.2	docstrip script commands	II 601
17.2.3	Using docstrip with L3 programming layer code	II 605
17.2.4	Using docstrip with other languages	II 605
17.3	I3build — A versatile development environment.....	II 606
17.3.1	The basic interface	II 607
17.3.2	Creating tests	II 608
17.3.3	Releasing to CTAN	II 611
17.3.4	Common configurations	II 613
17.4	Making use of version control tools.....	II 615
17.4.1	gitinfo2 — Accessing metadata from Git.	II 616
17.4.2	svn-multi — Accessing Subversion keywords	II 617
17.4.3	filemod — Printing or checking file modification dates	II 619

Appendix A *L^AT_EX* Overview for Preamble, Package, and Class Writers II 621

A.1	Linking markup and formatting.....	II 622
A.1.1	Command and environment names	II 622
A.1.2	Defining simple commands	II 624
A.1.3	Defining simple environments	II 629
A.1.4	Defining more complex commands and environments	II 632
A.1.5	Changing arguments to command names.	II 644
A.2	Counters and length expressions	II 646
A.2.1	Defining and changing counters	II 646
A.2.2	fmtcount — Specially formatted counters and numbers	II 650
A.2.3	sillypage — Page and other counting à la Monty Python	II 651
A.2.4	Defining and changing space parameters	II 651
A.2.5	The L3 programming layer — Computation support.	II 657
A.3	Page markup — Boxes and rules	II 660
A.3.1	LR boxes	II 661
A.3.2	Paragraph boxes	II 663
A.3.3	Rule boxes	II 667
A.3.4	Manipulating boxed material	II 669
A.3.5	Box commands and color	II 670
A.4	<i>L^AT_EX</i> 's hook management.....	II 671
A.4.1	Working with existing hooks	II 671
A.4.2	Declaring hooks and using them in code	II 681
A.5	Control structure extensions.....	II 685
A.5.1	iftex — On which T _E X engine are we running on?	II 685
A.5.2	calc — Arithmetic calculations	II 687
A.5.3	ifthen — Advanced control structures	II 689
A.6	Package and class file structure.....	II 693
A.6.1	The rollback part	II 693
A.6.2	The identification part	II 696

A.6.3	The initial code part	II 697
A.6.4	The declaration of options	II 697
A.6.5	The execution of options	II 699
A.6.6	Declaring and using options with a key/value syntax	II 700
A.6.7	The package loading part	II 703
A.6.8	The main code part	II 704
A.6.9	Special commands for package and class files	II 704
A.6.10	Special commands for class files	II 708
A.6.11	A minimal class file	II 710
Appendix B Tracing and Resolving Problems		II 711
B.1	Error messages	II 712
B.2	Dying with memory exceeded	II 744
B.3	Warnings and informational messages	II 749
B.4	\TeX and \LaTeX commands for tracing	II 765
B.4.1	Displaying command definitions and register values	II 766
B.4.2	Diagnosing page-breaking problems	II 769
B.4.3	Diagnosing and solving paragraph-breaking problems	II 773
B.4.4	Other low-level tracing tools	II 779
B.4.5	trace—Selectively tracing command execution	II 781
Appendix C Going beyond		II 783
C.1	Learn \LaTeX —A \LaTeX online course for beginners	II 784
C.2	Finding information available on your computer	II 785
C.2.1	<code>kpsewhich</code> —Find files the way \TeX does	II 785
C.2.2	<code>texdoc</code> —A command-line interface to local \TeX information .	II 786
C.3	Accessing online information and getting help	II 787
C.3.1	<code>texdoc.org</code> —searchable documentation on the Web	II 787
C.3.2	Frequently Asked Questions (FAQ) resources	II 787
C.3.3	Using news groups and forums	II 788
C.3.4	The \LaTeX Project’s web presence	II 789
C.4	Getting all those \TeX files	II 789
C.4.1	CTAN—The Comprehensive \TeX Archive Network	II 789
C.4.2	\TeX distributions—past and present	II 790
C.5	Giving back to the community	II 792
Bibliography		II 795
Index of Commands and Concepts		II 817
People		II 967
Biographies		II 973
Production Notes		II 977